

MATERIAL SAFETY DATA SHEET



1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY / UNDERTAKING

Product Name: CLS F100 Stage Formula
Supplier: Concert Lighting Systems (Aust) Pty Ltd
ABN: 14 005 422 319
Address: **Melbourne Office**
63-65 Kingsway Southbank VIC 3006
Sydney Office
60 Epsom Road NSW 2018
Telephone: Melbourne: (03) 9682 6111
Sydney: (02) 9697 2500
Fax: Melbourne: (03) 9682 6777
Sydney: (02) 9697 2522
Emergency Telephone Number: (03) 9682 6111 (Business Hours)

2. INFORMATION ON INGREDIENTS

Appearance: Clear, Colourless, Practically Odourless
Recommended Use: Smoke/Fog Generator

<u>Chemical Entity</u>	<u>CAS No</u>
Triethylene Glycol	112-27-6
Water	7732-18-5

Amounts not disclosed by supplier.
All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

3. HAZARDS IDENTIFICATION

Based on available information, not classified as hazardous according to criteria of Worksafe Australia.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

Product Name: CLS F100 STAGE FORMULA

Issued: 01/04/2004

MATERIAL SAFETY DATA SHEET

4. FIRST AID MEASURES

Ingestion: Rinse mouth with water. Give plenty of water to drink. If vomiting occurs give further water. Seek medical advice.

Eye contact: Irrigate with copious quantities of water for 15 minutes. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Skin contact: Wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. If irritation occurs seek medical advice.

Inhalation: Remove victim from exposure – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume the most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Notes to physician: Treat symptomatically.

5. ACCIDENTAL RELEASE MEASURES

Wear protective equipment to prevent skin and eye contamination. Contain – prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled drums for disposal.

6. FIRE FIGHTING MEASURES

Specific hazards: Non combustible liquid.

Fire fighting further advise: Not combustible, however following evaporation of aqueous component residual material can burn if ignited. Heating can cause expansion or decomposition leading to violent rupture of containers. If safe to do so, remove containers from path of fire. Keep containers cool with spray. On burning may emit toxic fumes including those of carbon oxides. Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion.

